




Rain Tape



HY.B Spray Tube



Product Name: T-SV Head Valve
Product Code:
T-SV1: 1/2" (0.27mm - 0.27mm)
T-SV2: 1" (0.40mm - 0.13mm)
T-SV3: 1-1/2" (0.40mm - 0.40mm)



Product Name: Connector for Length
Product Code:
N-100-1/2" (0.40mm - 0.40mm)
N-100-1" (0.40mm - 0.40mm)
N-100-1-1/2" (0.40mm - 0.40mm)

Product Name: SV Head Valve
Product Code:
SV1: 1/2" (0.27mm - 0.27mm)



Product Name: Hook
Product Code:
H-101



Product Name: End Cap
Product Code:
E-101



Product Name: C-SV Head Valve
Product Code:
C-SV1: 1/2" (0.40mm - 0.27mm)
C-SV2: 1" (0.40mm - 0.13mm)
C-SV3: 1-1/2" (0.40mm - 0.40mm)

www.irri.com.tw
No.14-10, Chung Lun, Chung Sha Village, Anding District, Tainan City 74554, Taiwan.
TEL: 886-6-5931196 FAX: 886-6-593-3890
Shunyue.sanfu@msa.hinet.net



Product Code	Tube Diameter (When Inflated)	Flow rate	Coverage
HYA1-2	Ø27mm	34.1L/MIN	5 m2
HYA2-3	Ø35mm	51.7L/MIN	6 m2
HYA3-3	Ø40mm	53.1L/MIN	7 m2
HYB1-3	Ø27mm	48.6L/MIN	5 m2
HYB2-4	Ø35mm	73.9L/MIN	7 m2
HYB3-5	Ø40mm	83.3L/MIN	8 m2

It is supplied as a 100 metre roll, but can be cut to fit your requirements.

Spray tube is a simple lightweight, perforated layflat irrigation hose that works under a low operating pressure from a water main or low pressure pumped system.



Spray tube eliminates the need for expensive and complicated irrigation systems, yet it provides a fine, uniform irrigation pattern.



HY.A Spray Tube

The manufacture of HY.A utilises laser technology to produce very small, accurately sized perforations that are evenly spaced along the length of hose. When the water is turned on the hose will slowly inflate and an even water pressure will exist throughout the entire length being used.

HY.B Spray Tube


The manufacture of HY.B utilises needles to produce slightly larger, but still accurately sized perforations that are evenly spaced along the length of hose.

The emerging jets of water have the same velocity at any part of the hose, which gives uniform watering throughout.



Shuen Yue Industrial Co., Ltd
ISO 9001

*Cost Effective Spray Tubes
Made in Taiwan Since 1976*



Works under low water pressure

Minimises run off Maximises ground saturation

Very little maintenance required

Uniform irrigation

It will not lose pressure at the end of the hose

More even watering pattern than circular sprinkling systems

SV System: SV-1 Head Valve + PVC Pipe



Product Name: SV Head Valve
Product Code:
SV1: ¾" (Ø27mm - Ø27mm)



Product Name: Cap
Product Code: S-308 (Ø40mm)



Product Name: Hole Punch
Product Code: T-HP
T-HP-1: ¾" (Ø27mm)
T-HP-3: 1-¼" (Ø40mm)



Product Name: Hook
Product Code: S-316



Product Name: Connector for Length
Product Code:
S-306-1: 1-¼" (Ø40mm - Ø40mm)
S-306-2: 1" (Ø35mm - Ø35mm)
S-306-3: ¾" (Ø27mm - Ø27mm)



C-SV System: C-SV Head Valve + Cross Connector + PVC / PE Lay-Flat Hose



Product Name: C-SV Head Valve
Product Code:
C-SV1: ¾" (Ø40mm - Ø27mm)
C-SV2: 1" (Ø40mm - Ø35mm)
C-SV3: 1-¼" (Ø40mm - Ø40mm)



Product Name: Cross Connector
Product Code:
S-302-1: 2" (Ø60mm - Ø40mm)
S-302-2: 2-½" (Ø75mm - Ø40mm)
S-302-3: 3" (Ø89mm - Ø40mm)
S-302-4: 3-½" (Ø102mm - Ø40mm)
S-302-5: 4" (Ø114mm - Ø40mm)



Product Name:
Air and Sand Discharge Plug Cap.
Product Code:
S-327-1: ¾" (Ø27mm)
S-327-2: 1" (Ø35mm)
S-327-3: 1-¼" (Ø40mm)



T-SV System: T-SV Head Valve + PE Lay-Flat Hose



Product Name: T-SV Head Valve
Product Code:
T-SV1: ¾" (Ø27mm - Ø27mm)
T-SV2: 1" (Ø40mm - Ø35mm)
T-SV3: 1-¼" (Ø40mm - Ø40mm)

Product Name: PE Layflat Hose
Product Code:
S-313-1: 1-½" (Ø50mm)
S-313-2: 2" (Ø60mm)
S-313-2: 2-½" (Ø75mm)
S-313-3: 3" (Ø89mm)
S-313-4: 3-½" (Ø102mm)
S-313-5: 4" (Ø114mm)



www.irri.com.tw

No.14-10, Chung Lun, Chung Sha Village, Anding District. Tainan City 74554, Taiwan.

WHATSAPP: 886-906-009-139 (Sales Representative)

TEL: 886-6-5931196 FAX: 886-6-593-3890

chingyang1988@gmail.com / chingyang@san-fu.com.tw